

Stirling Tables - SLT01

Design by Allermuir

Stirling's presence is emphasized by the robust yet elegant floating leg frame. Designed to accompany the Stirling sofa range, this table will suit a wide range of spaces including reception, lounge and breakout areas across leisure, hotel, retail

and office environments.

Product Summary

Scope of Assesment:

From extraction of raw materials through to production of the final Office Furniture unit (cradle to gate). See page 2 for more details.

Data Used

Primary data was used wherever possible including for energy use during the core module.

All secondary data was obtained from the EcoInvent database used in conjunction with SimaPro 7.3.2, using US, European and Global data where relevant.

Functional Unit:

A Table solution designed and manufactured to last 10 years.

Regional Market:

The primary market for our Office Furniture products is USA. The scope of this declaration reflects that.

Environmental Summary

Material Declaration

Total (%) Global Warming Potential (Kg Co2 Eq): 52.72 Material Amount (kg) 10.66 70.81 Recycled Content (% By Weight): 48.55 Steel 0.09 0.62 Total Energy Consumption (Mj): Polypropylene 1117.35 MDF 4.3 28.56 Recyclability (% By Weight): 99.00

Date of Production: April 2016

Environmental Product Analysis

This Environmental Product Analysis has been created in accordance with, and following the principles of ISO14025 and ISO14044. All the Life Cycle Analysis data has been compiled, processed and verified by Oakdene Hollins Ltd.

Demoilation and processing of 10

Compilation and processing of LCA data performed by Dr. Dan Skinner (Oakdene Hollins Ltd.)

A. Chymn

Verification of LCA and environmental data performed by Dr. Adrian Chapman (Oakdene Hollins Ltd.)

Sustain


The Senator Group has for many years acknowledged that the key word upon which to focus our attention is Sustainability rather than Recyclability in pure isolation.

Our business takes a truly holistic approach to the design, manufacture, supply and reclamation of our products. We see this as a cyclical process.

From design to manufacture, use and reclamation we aspire to minimise all environmental impacts of The Senator Group's products and processes.

We harvest the resources back from the retired products then remanufacture or reintroduce the materials into our component manufacturers supply chain.

We believe in taking responsibility for our own actions ourselves, wherever possible, rather than relying on third parties, or abdicating our responsibilities by offsetting. The process of Sustainability is a cyclical one we understand this and we actively pursue this in everything that we do.





Sustem	Boundaries
9-1-11	

Resource (Kg)	Upstream	Core	Downstream	Total
From the Air	15.64	0.16	0.01	15.81
From the Ground	52.50	2.84	6.55	61.89
From The Water	0.00	0.28	0.00	0.28

Energy Consumption

Resource (MJ)	Upstream	Core	Downstream	Total
Biomass	172.60	1.52	0.14	174.26
Hydro	30.32	3.32	0.81	34.45
Solar	0.04	0.01	0.00	0.05
Wind	2.54	0.19	0.03	2.76
Non-Renewable Energy (MJ)	763.84	65.34	76.65	905.83
Total	969.34	70.38	77.63	1117.35

Environmental Impact Potential

Resource	Upstream	Core	Downstream	Total
Global Warming (Kg CO2 Equivalents)	44.30	3.92	4.50	52.72
Acidification (Kg SO2 Equivalents)	0.18	0.04	0.02	0.24
Eutrophication (Kg PO43 Equivalents)	0.01	0.00	0.00	0.01
Ozone Depletion (Kg CFC 11 Equivalents)	0.00	0.00	0.00	0.00
Photochemical Smog (Kg C2H4 Equivalents)	0.01	0.00	0.00	0.01

Toxic Emissions

Resource (Kg)	Upstream	Core	Downstream	Total
From the Air	48.27	199.37	440.44	688.08
From the Ground	0.05	0.02	0.05	0.12
From The Water	5.98	3.37	6.54	15.89

Recycled Content

Material	Recycled Content of Material (% by weight)	Recycled Content In Product (% by weight)
Material	Amount	Percent of Total
Steel	50.00	35.50
Polypropylene	45.00	13.05

Total 48.55

Allermuir Certificates

Certificates

Description

ISO 9001

First Certified
Certified 1991

Quality Assurance
Envronmental Management

ISO 14001

FSC®

FISP

Accreditation

BS OHSAS 18001

Certified 2001

Chain of Custody

Contition

Sustainability

Certified 2003

Sustamusmitg

Certified 2006

Health & Safety Standard

Certified 2015











All UK manufacturing Sites are accredited to ISO standards, 9001, 14001 and 18001. In addition to this the Global Headquarters is also accredited to Chain of Custody. We can provide FSC @ certified products upon request

FISP (Furniture Industry Sustainability Program)

Awarded by FIRA, this sustainability certificate is designed to monitor all sustainability aspects of a company's facilities and operations. The Senator Group achieved one of the first sustainability certifications within the furniture industry – a public declaration of our commitment to improving our performance in every possible way.

Environmental Management

From extraction of raw materials through to production of the final Office Furniture unit (cradle to gate). See page 2 for more details.

Chain of Custody

Independent certification to prove The Senator Group only purchases MFC/MDF/Chipboard from manufacturers who can prove they purchase their raw wood from sustainable sources.

The Three R's

The Senator Group is committed to continually improving the sustainability of all environmental aspects within our business.

To meet both international standards and our own environmental targets we apply the three R's principle—

Reduce, Reuse and Recycle.

While recycling is the element which receives the most exposure it is actually the last option available and should never be the prime target in anyone's battle to reduce waste.

It is our duty as individuals and as a company to initially attempt to Reduce usage. Then we should look to Reuse wherever possible and finally, only after these two processes have been exhausted, should we consider Recycling.

Assessment Considerations

The following necessary assumptions and considerations were made during the course of the Life-Cycle Analysis:

- Manufacture of the furniture components was assumed to take place in the same factory in which the raw materials were processed, due to a lack of case-specific data.
- The transport of all materials, components and finished products was assumed to be via 16-32t Euro 6 lorries.
- All LCA data was modelled using the IMPACT 2002+ (v2.06) method.